



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2014 - December 31, 2014

Filing Confirmation Number: 0006621961

Filing Deadline: February 18, 2015

FRN: 0018458091

Filing Date: 01/15/2015 08:45 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Total Call Mobile
Brand Names: Total Call Mobile, Inc.
PO Box:
Street Address: 1411 W. 190th Street, Suite 650
City: Gardena
State: CA
Zip Code: 90248

Contact Name: Amy Inagaki
Contact Phone: (310) 818-4300
Contact Fax: (310) 818-4310
Contact Email: regulatory@totalcallmobile.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.totalcallmobile.com/phones.aspx>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: N/A

Methodology for Functionality Levels

Basic -- basic voice/text messages

Feature -- additional feature (camera, MMS)

Smart Phone -- data enable app

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 21

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	19	90%	2	10%			21

Handset 1: HTC 6850 7 Pro

Handset Maker

HTC

Handset Model Name

6850 7 Pro

FCC ID

NM8PC93100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks**Handset 2: LG 260 Rumor 1****Handset Maker**

LG

Handset Model Name**FCC ID**

260 Rumor 1

BEJLX260

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 3: LG LN510

Handset Maker

LG

Handset Model Name

LN510

FCC ID

BEJLN510

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 4: LG LS670 Optimus

Handset Maker

LG

Handset Model Name

LS670 Optimus

FCC ID

BEJLS670

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 5: LG VM101**Handset Maker**

LG

Handset Model Name**FCC ID**

VM101

BEJVM101

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 6: Motorola MB612

Handset Maker

Motorola

Handset Model Name

MB612

FCC ID

IHDP56LK1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 7: Samsung M340 Mantra

Handset Maker

Samsung

Handset Model Name

M340 Mantra

FCC ID

A3LSPHM340

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks**Handset 8: Samsung M800 Instinct****Handset Maker**

Samsung

Handset Model Name**FCC ID**

M800 Instinct

A3LSPHM800

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 9: Samsung M810 Instinct S30

Handset Maker

Samsung

Handset Model Name

FCC ID

M810 Instinct S30

A3LSPHM810

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 10: Samsung M900 Kit

Handset Maker

Samsung

Handset Model Name

FCC ID

M900 Kit

A3LSPHM900

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 11: Samsung SPH-M300**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SPH-M300

A3LSPHM300

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 12: Samsung SPH-M320

Handset Maker

Samsung

Handset Model Name

SPH-M320

FCC ID

A3LSPHM320

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 13: Samsung SPH-M350

Handset Maker

Samsung

Handset Model Name

SPH-M350

FCC ID

A3LSPHM350

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks**Handset 14: Samsung SPH-M540****Handset Maker**

Samsung

Handset Model Name**FCC ID**

SPH-M540

A3LSPHM540

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 15: Sanyo 3800 Kit

Handset Maker

Sanyo

Handset Model Name

3800 Kit

FCC ID

AEZSCP-3800

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 16: Sanyo 8600 Zio

Handset Maker

Sanyo

Handset Model Name

8600 Zio

FCC ID

V65SCP-8600

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 17: Sanyo M9300 Echo**Handset Maker**

Sanyo

Handset Model Name**FCC ID**

M9300 Echo

V65M9300

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 18: Sanyo Pro 700 Kit

Handset Maker

Sanyo

Handset Model Name

Pro 700 Kit

FCC ID

AEZSCP-PRO700

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 19: Sanyo SCP-2700 Juno

Handset Maker

Sanyo

Handset Model Name

SCP-2700 Juno

FCC ID

V65SCP-27H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 20: Sanyo SCP-3100**Handset Maker**

Sanyo

Handset Model Name**FCC ID**

SCP-3100

AEZSCP-31H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 21: Sanyo SCP-3200

Handset Maker

Sanyo

Handset Model Name

SCP-3200

FCC ID

AEZSCP-32H

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Certification

This Report has been certified by:

Hideki Kato COO

01/15/2015 08:45 PM